1 - PRODUCT IDENTIFICATION

PRODUCT NAME: Grip Strip NC
PRODUCT TYPE: Liquid Floor Stripper

CONTROL NUMBER:..... Z6050XXX

COMPANY: Simoniz USA, Inc.

201 Boston Turnpike Bolton, CT 06043 1-800-227-5536

www.simoniz.com

EMERGENCY PHONE: (800) 255-3924 (CHEM-TEL)

2 - HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE: Skin Corrosion (1A) Serious Eye Damage (1)

SYMBOLS:....



SIGNAL WORD: DANGER!

HAZARD STATEMENT: Causes severe skin burns and eye damage. Causes serious

eve damage.

PRECAUTIONARY STATEMENTS:

PREVENTION: Wash hands thoroughly after handling. Wear protective

gloves/protective clothing/eye protection/face protection. Do not

breathe dust/fume/gas/mist/vapours/spray.

RESPONSE:..... IF SWALLOWED: Rinse mouth. Do NOT induce vomitting. IF

ON SKIN: Wash with plenty of water and soap. Call a POISON CENTER or doctor/physician if you feel unwell treatment (see First AID Section on this label). Take off contaminated clothing and wash before reuse.

hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue

rinsing.

STORAGE:..... Store locked up.

DISPOSAL: Dispose of container and contents in accordance with local

regulations.

3 - COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT	C.A.S. NUMBER	CONCENTRATION (%)
Water	7732-18-5	40-60
2-Butoxy Ethanol	111-76-2	25-45
Monoethanolamine	141-43-5	5-15

4 - FIRST-AID MEASURES

BREATHING (INHALATION): .. If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention.

SWALLOWING (INGESTION):. DO NOT INDUCE VOMITING! Drink a large quantity of water or

milk. Do not attempt to give liquids to an unconscious person.

Get immediate medical attention!

EYES: Inhalation, skin absorption, or ingestion.

SKIN (DERMAL): Flush from skin and clothing with large amounts of fresh water. If

irritation persists, consult physician. Wash contaminated clothing

before wearing.

5 – FIRE-FIGHTING MEASURES

FLASHPOINT: This product is non-flammable.

EXTINGUISHING MEDIA: This product is non-flammable. Use extinguishing media suitable

for materials already burning.

SPECIAL FIRE FIGHTING PROCEDURES:Firefighters working in areas where this

product is present should be equipped with an approved, fully

enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:.....None known.

6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:..... Dike to prevent spillage into streams or sewer systems. Consult

local, state and federal authorities.

WASTE DISPOSAL: As recommended by local, state and federal authorities.

7 - HANDLING and STORAGE

STORAGE:..... Store in a cool, well ventilated area. Avoid overheating or

freezing.

HANDLING: Under normal use according to label instructions, special

protection should not be necessary. Wear eye protection if product is likely to splash.Do not place this product in an unmarked container! Keep away from children! Spilled material

is slippery.

8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION:.....Not usually needed in well-ventilated areas. If

needed, use a NIOSH approved respirator.

PROTECTIVE CLOTHING:...... Nitrile or PVC gloves, and chemical splash goggles.

ADDITIONAL MEASURES:..... Under normal use according to label instructions, special

protection should not be necessary. Wear eye protection if product is likely to splash.Do not place this product in an unmarked container! Keep away from children! Spilled material

is slippery.

INGREDIENT C.A.S. NUMBER PEL

Water 7732-18-5 No limits established
2-Butoxy Ethanol 111-76-2 20 ppm TLV, 25 ppm PEL
Monoethanolamine 141-43-5 3 ppm PEL, 6 ppm STEL

9 - PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR:....... Transparent liquid, pleasantly scented.

ODOR THRESHOLD: N/A **pH:** 11.5

MELTING POINT: 210 degrees F.

FREEZING POINT: N/A

BOILING POINT: 210 degrees F.

BOILING POINT RANGE: N/A

FLASHPOINT: This product is non-flammable.

EVAPORATION RATE: N/A
FLAMMABILITY (solid/gas): ... N/A
EXPLOSION LIMITS: N/A
VAPOR PRESSURE: N/A

VAPOR DENSITY (AIR=1): Greater than 1.

SPECIFIC GRAVITY:.....1.01

SOLUBILITY IN WATER: Completely soluble.

PARTITION COEFFICIENT:..... N/A

AUTO-IGNITION TEMPERATURE:N/A
DECOMPOSITION TEMPERATURE:N/A

VISCOSITY: Water thin

10 - STABILITY and REACTIVITY

STABILITY: Stable under normal conditions. **HAZARDOUS DECOMP.:** This product not known to polymerize. **INCOMPATIBILITY:** Do not mix with acids or other detergents.

11 – TOXICOLOGICAL INFORMATION

ROUTE(S) OF ENTRY:Inhalation, skin absorption, or ingestion. LISTED CARCINOGEN:None over 0.1%.			
MEDICAL CONDITION AGGRAVATED:May aggravate pre-existing dermatitis.			
INHALATION:			
mists or vapors. Maintain adequate ventilation in the work area. INGESTION: This material can cause irritation or damage to stomach and			
esophagus.			
EYES: Undiluted product will cause burns or eye irritation, or possibly blindness.			
SKIN (DERMAL): This product may cause burns or irritation if not removed from the skin.			
ACUTE TOXICITY* (ORAL):>2000 mg/kg			
ACUTE TOXICITY* (DERMAL):>2000 mg/kg			
ACUTE TOXCITY* (INHALATION):>20,000 ppm V (Gas), >20 mg/l (Vapor), >5 mg/l (Dust)			
*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)			
12 - ECOLOGICAL INFORMATION			
ENVIRONMENTAL FATE AND DISTRIBUTION: N/A			
13 -DISPOSAL CONSIDERATIONS			
WASTE DISPOSAL: As recommended by local, state and federal authorities.			
14 – TRANSPORTATION INFORMATION			
PROPER SHIPPING NAME: Not D.O.T. regulated. HAZARD CLASS:			
15 - REGULATIONS			
Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200			
16 – OTHER INFORMATION			
NFPA HEALTH:			

based on the data
o be reliable. No ed is made regarding the ned from the reliance on responsibility for injury ad this product safety
who may be exposed to product and/or all of its empt from the TSCA
6

REVISION DATE: 09/18/15