1 - PRODUCT IDENTIFICATION

PRODUCT NAME: Triple Foam Yellow Anti Freeze **PRODUCT TYPE:** Solvent Based Cleaning Compound

PRODUCT NUMBER: A0063XXX (Last 3 characters vary with the packaging)

CONTROL NUMBER:..... A0063XXX

COMPANY: Simoniz USA, Inc.

201 Boston Turnpike Bolton, CT 06043 1-800-227-5536 www.simoniz.com

EMERGENCY PHONE:.....(800) 255-3924 (CHEM-TEL)

2 - HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE:..... Flammable Liquids (2) Eye Irritation (2A)
Reproductive Toxicity (1B)

SYMBOLS:....







SIGNAL WORD:..... DANGER!

HAZARD STATEMENT:..... Highly flammable liquid and vapor. Causes serious eye irritation.

May damage fertility or the unborn child.

PRECAUTIONARY STATEMENTS:

PREVENTION: Keep away from heat/sparks/open flames/hot surfaces – No

smoking. Keep container tightly closed. Ground/bond container

and receiving equipment. Use explosion-proof

electrical/ventilating/light/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear

protective gloves/protective clothing/eye protection/face

protection. Wash hands thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions

have been read and understood.

RESPONSE:..... IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower. In case of fire: Use dry sand, dry chemical or alcohol-resitant foam for extinction. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do -

continue rinsing. If eye irritation persists get medical advice/attention. IF exposed or concerned: Get medical

advice/attention.

STORAGE: Store in a well ventilated place. Keep cool. Store locked up.

DISPOSAL: Dispose of container and contents in accordance with local regulations.

3 - COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT

Methanol

Sodium Lauryl Ether Sulfate

C.A.S. NUMBER

67-56-1 68585-34-2

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals

4 - FIRST-AID MEASURES

BREATHING (INHALATION): ... If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention.

SWALLOWING (INGESTION):. DO NOT INDUCE VOMITING! Drink a large quantity of water or

milk. Do not attempt to give liquids to an unconscious person.

Get immediate medical attention!

EYES: Flush eyes with a large quantity of fresh water for at least 15

minutes. If irritation persists, consult a physician.

SKIN (DERMAL): Flush from skin and clothing with large amounts of fresh water. If

irritation persists, consult physician. Wash contaminated clothing

before wearing.

5 - FIRE-FIGHTING MEASURES

FLASHPOINT:..... 52 degrees F.

EXTINGUISHING MEDIA:....... Water fog or fine spray. Carbon dioxide, Dry chemical or Alcohol

resistant foam.

SPECIAL FIRE FIGHTING PROCEDURES:Firefighters working in areas where this

product is present should be equipped with an approved, fully

enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:......None known.

6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: Dike to prevent spillage into streams or sewer systems. Consult

local, state and federal authorities.

WASTE DISPOSAL: As recommended by local, state and federal authorities.

7 - HANDLING and STORAGE

HANDLING: Flammable! Ground and bond all containers when handling. Use non-sparking tools. Do not place this product in an unmarked container! Keep away from children! Spilled material is slippery. ATTENTION: Empty containers retain vapor and product residue and can be dangerous. Do not pressurize, cut, weld, braze. solder, drill, grind or expose containers to heat, flame, sparks, static electricity or other sources of ignition. Do not reuse empty container.

8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: Not usually needed in well-ventilated areas. If needed, use a NIOSH approved respirator.

PROTECTIVE CLOTHING:...... Nitrile or PVC gloves, and chemical splash goggles.

ADDITIONAL MEASURES: Flammable! Ground and bond all containers when handling. Use

non-sparking tools. Do not place this product in an unmarked container! Keep away from children! Spilled material is slippery. ATTENTION: Empty containers retain vapor and product residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat, flame, sparks, static electricity or other sources of ignition. Do not reuse empty

container.

INGREDIENT C.A.S. NUMBER PEL

Methanol 200 ppm PEL, 250 ppm 67-56-1

STEL

Sodium Lauryl Ether Sulfate 68585-34-2 No limits established

9 - PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR: Dark orange transparent liquid, with an alcoholic odor.

ODOR THRESHOLD: N/A **pH:.....** N/A

MELTING POINT: 148 degrees F.

FREEZING POINT: N/A

BOILING POINT:..... 148 degrees F.

BOILING POINT RANGE:..... N/A

FLASHPOINT:...... 52 degrees F.

EVAPORATION RATE:..... N/A FLAMMABILITY (solid/gas):.... N/A

EXPLOSION LIMITS:..... N/A

VAPOR PRESSURE: 97 mm Hg **SPECIFIC GRAVITY:** 0.79

SOLUBILITY IN WATER: Completely soluble.

PARTITION COEFFICIENT: N/A

AUTO-IGNITION TEMPERATURE:.....N/A DECOMPOSITION TEMPERATURE:N/A

VISCOSITY: Water thin

10 - STABILITY and REACTIVITY **STABILITY:** Stable under normal conditions. **HAZARDOUS DECOMP.:......** This product not known to polymerize. **INCOMPATIBILITY:** Avoid strong oxidizers. Avoid heat, sparks or open flames. 11 - TOXICOLOGICAL INFORMATION **ROUTE(S) OF ENTRY:.....** Inhalation, skin absorption, or ingestion. **LISTED CARCINOGEN:** None over 0.1%. MEDICAL CONDITION AGGRAVATED:......May aggravate pre-existing dermatitis. INHALATION:......Inhalation of significant amounts of this product can cause headaches, dizziness, confusion or nausea. Can also cause loss of consciousness or death. Use only in well ventilated areas. INGESTION: Swallowing even small amounts may cause blindness or death. Other effects may be nausea, headache, vomiting and visual disturbances. **EYES:** Undiluted product will cause burns or eye irritation, or possibly permanent damage. SKIN (DERMAL): This product may cause irritation or redness of the skin. ACUTE TOXICITY* (ORAL):.....>2000 mg/kg **ACUTE TOXICITY* (DERMAL):.....>2000 mg/kg** ACUTE TOXCITY* (INHALATION):.....>20,000 ppm V (Gas), >20 mg/l (Vapor), >5 mg/I (Dust) *Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6) 12 - ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: As recommended by local, state and federal authorities.

14 - TRANSPORTATION INFORMATION

DOT:

PROPER SHIPPING NAME:..... Methanol HAZARD CLASS:..... 3 Flammable UN/NA NUMBER: UN 1230

PACKAGING GROUP :.....II

IMDG:

PACKAGING GROUP :.....II

SEA (IMDG) TRANSPORT DOCUMENT DECLARATION: UN 1230, METHANOL, Class 3 (6.1), PG II, (11°C c.c.)

15 - REGULATIONS

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

16 – OTHER INFORMATION

NFPA HEALTH: 1
NFPA FLAMMABILITY: 3
NFPA REACTIVITY: 0
NFPA OTHER: None

ADDITIONAL:..... The information contained in this SDS is based on the data

available to us from sources we believe to be reliable. No warranty or guaranty expressed or implied is made regarding the accuracy of this data or the results obtained from the reliance on this data. The manufacturer assumes no responsibility for injury from the use of this product. Be safe- read this product safety information and pass it on to all persons who may be exposed to this product. Federal law requires it. This product and/or all of its components are either included on or exempt from the TSCA Inventory of Chemical Substances.

REVISION DATE:..... 11/04/2022